



Issue : When a user is having **xm.urlrewriter.admin role**, the dropdown in the popup will not be populated with the url rewrite option under Document -> Copy.

Current Behavior (NO Url Rewriter option under Document -> Copy) :



Expected behavior (Url Rewriter option under Document -> Copy) :



Issue Analysis :


Since 14.2 we are using **xm.urlrewriter.admin** instead of **xm.repository.admin**

As per the [document](#) The roles has to be configured as below -

Uri Rewriter: xm.urlrewriter.admin (since v14.2) or xm.repository.admin (v14.0-14.1)

Under Console , Path - /hippo:configuration/hippo:frontend/cms/cms-browser/urlrewriterTreeLoader

we could see **xm.urlrewriter.admin** role




The screenshot shows the Hippo console interface. On the left, a tree view shows the path: hippo:configuration > hippo:frontend > cms > cms-browser > urlrewriterTreeLoader. The right pane displays the configuration for this path. Under the 'Types' section, the 'Primary' is 'frontend:plugin' and the 'Mixins' are empty. Under 'Properties', the 'cluster.name' is 'cms-tree-views/urlrewriter' and the 'plugin.class' is 'org.hippoecm.frontend.plugin.loader.PluginClusterLoader'. Under 'hipposys (1)', the 'hipposys:userrole' is 'xm.urlrewriter.admin'.

However under Cms- picker path -

/hippo:configuration/hippo:frontend/cms/cms-pickers/folders/urlrewriterTreeLoader

we could see **xm.repository.admin**



The screenshot shows the Hippo console interface. On the left, a tree view shows the path: hippo:configuration > hippo:frontend > cms > cms-pickers > folders > urlrewriterTreeLoader. The right pane displays the configuration for this path. Under the 'Types' section, the 'Primary' is 'frontend:plugin' and the 'Mixins' are empty. Under 'Properties', the 'cluster.name' is 'cms-tree-views/urlrewriter' and the 'plugin.class' is 'org.hippoecm.frontend.plugin.loader.PluginClusterLoader'. Under 'hipposys (1)', the 'hipposys:userrole' is 'xm.repository.admin'. Under 'Mixin Types', several checkboxes are visible, including 'dpxhst:mergeable', 'editor:editable', 'eforms:condition', 'eforms:conditional', 'frontend:navigationitem', 'frontend:orderChildFolders', 'hcm:digested', 'hippo:branchInfo', 'hippo:container', 'hippo:derived', 'hippo:harddocument', 'hippo:hardhandle', 'hippo:identifiable', 'hippo:lockable', and 'hippo:named'.

Due to this user is not able to see the Url Rewriter dropdown option when trying to copy.

Solution :

If we **replace** xm.repository.admin to **xm.urlrewriter.admin** in cms-picker Path -

/hippo:configuration/hippo:frontend/cms/cms-pickers/folders/urlrewriterTreeLoader

configuration we can see Url Rewriter dropdown option when a user wants to copy urlrewriter.

